



Addendum No. 3
FM No. 447985-1

TOWN OF CUTLER BAY
INVITATION TO BID (ITB) No. 25-05
CARIBBEAN BOULEVARD ROADWAY IMPROVEMENTS FINAL GAP PROJECT
(SW 87 AVENUE TO SW 184 STREET)

Addendum No. 3 form shall be part of the original ITB No. 25-05 CARIBBEAN BOULEVARD ROADWAY IMPROVEMENTS FINAL GAP PROJECT document and modifies the original ITB as noted below:

This Addendum No. 3 is issued to revise sheet C-01 of the project plans updating the pollution retardant baffle columns. The revised page is attached herein and shall replace the original sheet C-01.

REVISION TO ORIGINAL ITB DOCUMENTS BELOW: “RED”

[Page 227](#)

[SPACE LEFT INTENTIONALLY BLANK]

SUMMARY OF DRAINAGE STRUCTURES											
Structure Number	Station	Off-set	Structure Type	FRAME & GRATE	Rim Elev.	Pipe Inverts	Bottom (Sump) Elev.	Pollution Retardant Baffle			
								N	S	E	W
S-01	10+67.57	17.72' L	Curb Inlet Type P (42"x42")	5120-6176	8.27	Solid Pipe (1.20) (S)	-0.80				
S-02	10+67.58	16.92' R	Curb Inlet Type J	USF 5129-6176	8.28	Solid Pipe (1.10) (N) Perforated Pipe (3.50) (E)	-0.90		X		
S-03	12+42.45	18.70' L	Swale Inlet Type P	4700-6223	8.88	Solid Pipe (1.60) (S)	-0.40				
S-04	12+42.45	11.86' R	Curb Inlet Type J	USF 5129-6176	8.89	Perforated Pipe (3.50) (W) Perforated Pipe (3.50) (E) Solid Pipe (1.50) (N)	-0.50		X	X	
S-05	49+50.29	18.36' R	Swale Inlet Type P	4700-6223	8.62	Solid Pipe (2.30) (W)	0.30				
S-06	49+50.29	11.00' L	Curb Inlet Type P	5129-6176	8.57	Solid Pipe (2.20) (E) Solid Pipe (2.20) (N)	0.20				
S-07	13+20.40	11.85' R	Manhole Type J7-T	310A	9.24	Perforated Pipe (3.50) (W) Perforated Pipe (3.50) (E) Solid Pipe (2.10) (S)	0.00		X	X	
S-08	14+09.51	18.29' L	Swale Inlet Type P	4700-6223	8.69	Solid Pipe (1.60) (S)	-0.40				
S-09	14+09.51	11.84' R	Curb Inlet Type J	5129-6176	8.69	Perforated Pipe (3.50) (W) Solid Pipe (1.50) (N) Perforated Pipe (3.50) (E)	-0.50		X	X	
S-10	15+36.57	18.43' L	Swale Inlet Type P	USF 4700-6223	9.07	Solid Pipe (1.70) (SE)	-0.30				
S-11	15+45.50	12.15' R	Curb Inlet Type P	USF 5129-6176	9.10	Solid Pipe (5.50) (NW)	3.50				
S-12	15+43.51	5.50' R	Manhole Type J7-T	310A	9.33	Solid Pipe (1.60) (NW) Solid Pipe (5.40) (SE) Perforated Pipe (3.50) (W) Perforated Pipe (3.50) (E)	-0.40		X	X	
S-13	59+31.21	11.05' R	Curb Inlet Type P	USF 5129-6176	8.74	Solid Pipe (3.60) (W)	1.60				
S-14	59+32.37	10.92' L	Curb Inlet Type P	USF 5129-6176	8.81	Solid Pipe (3.50) (E) Solid Pipe (3.50) (N)	1.50				
S-15	16+22.10	5.76' R	Manhole Type J7-T	310A	9.57	Perforated Pipe (3.50) (W) Perforated Pipe (3.50) (E) Solid Pipe (3.40) (S)	0.00		X	X	
S-16	16+82.79	18.00' L	Swale Inlet Type P	USF 4700-6223	9.23	Solid Pipe (2.10) (S)	0.10				
S-17	16+83.37	11.89' R	Curb Inlet Type J	USF 5129-6176	9.36	Solid Pipe (2.00) (N) Perforated Pipe (3.50) (W) Perforated Pipe (3.50) (NE)	0.00	(NE)	X	X	
S-18	18+44.12	19.04' L	Swale Inlet Type P	USF 4700-6223	9.77	Solid Pipe (2.60) (SE)	0.60				
S-19	18+44.43	11.49' R	Curb Inlet Type P (42"x42")	5129-6176	9.77	Solid Pipe (6.00) (NW)	4.00				
S-20	18+44.66	4.57' R	Manhole Type J7-T	310A	10.03	Solid Pipe (2.50) (NW) Solid Pipe (6.00) (SE) Perforated Pipe (3.50) (NE) Perforated Pipe (3.50) (SW)	0.00	(NE)	(SW)	X	
S-21	69+40.15	13.96' R	Swale Inlet Type P	USF 4700-6223	9.64	Solid Pipe (6.10) (SW)	4.10				
S-22	69+39.80	12.97' L	Curb Inlet Type P	USF 5129-6176	9.57	Solid Pipe (6.00) (NE) Solid Pipe (6.00) (NW)	4.00				
S-23	70+58.79	10.94' R	Curb Inlet Type P	USF 5129-6176	9.28	Solid Pipe (6.00) (SW)	4.00				
S-24	70+58.83	10.94' L	Curb Inlet Type P	USF 5129-6176	9.43	Solid Pipe (5.90) (NE) Solid Pipe (2.60) (SE)	0.60				
S-25	18+91.41	5.43' R	Manhole Type J7-T	310A	10.17	Perforated Pipe (3.50) (SW) Perforated Pipe (3.50) (NE) Solid Pipe (5.90) (SE) Solid Pipe (2.50) (NW)	0.00	(NE)	(SW)	X	
S-26	20+49.29	20.66' L	Swale Inlet Type P	USF 4700-6223	9.14	Solid Pipe (6.00) (SE)	4.00				
S-27	20+48.98	15.66' R	Swale Inlet Type P	USF 4700-6223	9.22	Solid Pipe (6.00) (NW)	4.00				
S-28	20+49.06	5.75' R	Manhole Type J7-T	310A	9.41	Solid Pipe (5.90) (NW) Solid Pipe (5.90) (SE) Perforated Pipe (3.50) (SW) Perforated Pipe (3.50) (NE)	-0.25	(NE)	(SW)	X	
S-29	79+32.17	10.96' R	Curb Inlet Type P	USF 5129-6176	9.12	Solid Pipe (5.70) (SW)	3.70				
S-30	79+33.85	10.98' L	Curb Inlet Type P	USF 5129-6176	9.12	Solid Pipe (5.60) (NE) Solid Pipe (5.60) (NW)	3.60				
S-31	21+63.37	0.46' L	Manhole Type J7-T	310A	9.86	Perforated Pipe (3.50) (SW) Perforated Pipe (3.50) (NE) Solid Pipe (5.50) (SE)	0.37	(NE)	(SW)	X	
S-32	22+39.80	5.37' R	Manhole Type P7-T	310A	9.63	Perforated Pipe (3.50) (SW) Perforated Pipe (3.50) (N)	2.09				
S-33	90+53.02	10.50' R	Curb Inlet Type P	USF 5129-6176	8.47	Solid Pipe (4.50) (S)	2.50				

SUMMARY OF DRAINAGE STRUCTURES											
Structure Number	Station	Off-set	Structure Type	FRAME & GRATE	Rim Elev.	Pipe Inverts	Bottom (Sump) Elev.	Pollution Retardant Baffle			
								N	S	E	W
S-34	90+53.08	11.50' L	Curb Inlet Type P	USF 5129-6176	8.57	Solid Pipe (4.40) (N) Solid Pipe (2.00) (E)	0.00				
S-35	23+40.00	0.00'	Manhole Type J7-T	310A	9.35	Perforated Pipe (3.50) (S) Perforated Pipe (3.50) (N) Solid Pipe (1.90) (W)	0.16	X	X		
S-36	24+07.24	20.74' L	Swale Inlet Type P	USF 4700-6223	8.71	Solid Pipe (1.50) (E)	-0.50				
S-37	24+07.33	11.93' R	Curb Inlet Type P	USF 5129-6176	8.75	Solid Pipe (1.50) (W)	-0.50				
S-38	24+07.31	4.10' R	Manhole Type J7-T	310A	9.01	Solid Pipe (1.40) (W) Solid Pipe (1.40) (E) Perforated Pipe (3.50) (S) Perforated Pipe (3.50) (N)	-0.60	X	X		
S-39	25+29.04	19.92' L	Swale Inlet Type P	USF 4700-6223	8.25	Solid Pipe (1.50) (E)	-0.50				
S-40	25+29.49	11.93' R	Manhole Type J7-T	USF 5129-6176	8.27	Solid Pipe (0.00) (N) Solid Pipe (0.00) (W)	-0.60	X	X		
S-41	89+47.62	17.89' R	Swale Inlet Type P	USF 4700-6223	8.29	Solid Pipe (0.00) (S)	-2.00				
S-42	89+47.62	10.99' L	Curb Inlet Type P	USF 5129-6176	8.27	Solid Pipe (0.00) (N) Solid Pipe (0.00) (W)	-2.00				
S-43	25+97.00	9.42' R	Manhole Type J7-T	310A	8.65	Solid Pipe (0.00) (N) Perforated Pipe (3.50) (S) Solid Pipe (0.00) (E)	-2.02				X
S-43A	26+29.83	10.06' R	Manhole Type J7-T	310A	8.60	Perforated Pipe (3.50) (N) Solid Pipe (0.00) (S)	-2.10				X
S-44	27+18.31	20.48' L	Swale Inlet Type P	USF 4700-6223	8.15	Solid Pipe (0.70) (E)	-1.30				
S-45	27+18.36	11.94' R	Curb Inlet Type J	USF 5129-6176	8.18	Solid Pipe (0.00) (N) Perforated Pipe (3.50) (S) Solid Pipe (0.60) (W)	-2.00	X			
S-46	100+51.15	11.01' L	Curb Inlet Type P	USF 5129-6176	8.42	Solid Pipe (5.30) (N)	3.30				
S-47	100+51.18	11.00' R	Curb Inlet Type P	USF 5129-6176	8.37	Solid Pipe (5.20) (S) Solid Pipe (1.70) (E)	-0.30				
S-48	28+01.03	12.04' R	Curb Inlet Type J	USF 5129-6176	8.56	Perforated Pipe (3.50) (N) Solid Pipe (0.00) (S) Solid Pipe (1.60) (W)	-2.00				X
S-49	29+48.49	13.42' L	Curb Inlet Type P	USF 5129-6176	9.61	Solid Pipe (6.20) (E)	4.20				
S-50	29+48.38	13.34' R	Curb Inlet Type J	USF 5129-6176	9.61						